



Certificate of Analysis

Product Name	Liquiritigenin	Manufacture Date	Sep.10.2023
Batch Number	SW230910	Analysis Date	Sep.11.2023
Batch Quantity	500kg	Expiry Date	Sep.10.2025

ANALYSIS	SPECIFICATION	RESULT
Appearance	White crystalline powder	Conforms
Assay	98%	98.36%
Odor&Taste	Characteristic	Characteristic
Particle size	100% through 80 mesh	80 mesh
Ash	≤0.5%	0.06%
Loss on drying	≤1.0%	0.27%
Heavy metal	≤15ppm	3ppm
Cadmium(Cd)	≤0.5ppm	Complies
Lead(Pb)	≤1ppm	Complies
Arsenic(As)	≤2ppm	Complies
Mercury(Hg)	Negative	Negative
Total bacteria count	≤1000cfu/g	67cfu/g
Fungi	≤100cfu/g	12cfu/g
Samonella	Negative	Negative
E. Coli	Negative	Negative
Conclusion	This product complies with international standards	

Packing description	Sealed export grade drum & double of sealed plastic bag
Storage	Store in a cool and dry place, stay away from strong light and heat
Shelf life	2 years when properly stored

Quality Assurance Officer:李强

Corrector:佟丽军 Analyst:方琼

