



Certificate of Analysis


Product name	Gentiopicroside	Manufacture date	Jul.23.2023
Batch number	SW230723	Analysis date	Jul.24.2023
Batch quantity	100kg	Expiry date	Jul.23.2025

Analysis	Specification	Result
Appearance	White Powder	Conforms
Odor	Characteristic	Conforms
Assay	≥98%	98.12%
Sieve	100% pass 80 mesh	Conforms
Ash	≤5.0%	2.30%
Loss on drying	≤5.0%	2.51%
Heavy Metals	≤10ppm	Conforms
As	≤1ppm	Conforms
Pb	≤1ppm	Conforms
Hg	≤0.1ppm	Conforms
Cd	≤1ppm	Conforms
Microbiological		
Total Plate Count	≤1000cfu/g	Conforms
Yeast & Mold	≤100cfu/g	Conforms
Salmonella	Negative	Negative
E.Coli	Negative	Negative
Staphylococcus Aureus	Negative	Negative
Conclusion	Conforming to Enterprise Standard	

Packing description:	Sealed export grade drum & double of sealed plastic bag
Storage:	Store in cool & dry place. keep away from strong light and heat
Shelf life:	2 years when properly stored

Quality Assurance Officer: 李强

Corrector: 佟丽华



Analyst: 孟琦